





Lange Spiralbohrer mit Zylinderschaft
Forets cylindriques, série longue
Punte cilindrico, serie lunga
Straight shank twist drills, long series



Material Code:	ALU 99.5%	ALU <10% Si	ALU Guss	Steel <500 N	Steel <750 N	Steel <900 N	Steel <1100 N	Steel 45 HRC	DIN 340	
110.0340	50 H	40 I	25 E	32 H	25 G	20 G	○			
Material Code:	Steel 55 HRC	Steel 60 HRC	Steel 65 HRC	Inox <900 N	Inox >900 N	Ti >800 N	GG(G)	Hardox inconel		
110.0340				8 E	8 E	10 E	16 H			110.0340
Ø Code	d1 h8	L1	L2							
110.0340.00200	2,00	85	56	10						
110.0340.00210	2,10	85	56	10						
110.0340.00220	2,20	90	59	10						
110.0340.00230	2,30	90	59	10						
110.0340.00240	2,40	95	62	10						
110.0340.00250	2,50	95	62	10						
110.0340.00260	2,60	95	62	10						
110.0340.00270	2,70	100	66	10						
110.0340.00280	2,80	100	66	10						
110.0340.00290	2,90	100	66	10						
110.0340.00300	3,00	100	66	10						
110.0340.00310	3,10	106	69	10						
110.0340.00320	3,20	106	69	10						
110.0340.00330	3,30	106	69	10						
110.0340.00340	3,40	112	73	10						
110.0340.00350	3,50	112	73	10						
110.0340.00360	3,60	112	73	10						
110.0340.00370	3,70	112	73	10						
110.0340.00380	3,80	119	78	10						
110.0340.00390	3,90	119	78	10						
110.0340.00400	4,00	119	78	10						
110.0340.00410	4,10	119	78	10						
110.0340.00420	4,20	119	78	10						
110.0340.00430	4,30	126	82	10						
110.0340.00440	4,40	126	82	10						
110.0340.00450	4,50	126	82	10						
110.0340.00460	4,60	126	82	10						



Lange Spiralbohrer mit Zylinderschaft
Forets cylindriques, série longue
Punte cilindrico, serie lunga
Straight shank twist drills, long series



Material Code:	ALU 99.5%	ALU <10% Si	ALU Guss	Steel <500 N	Steel <750 N	Steel <900 N	Steel <1100 N	Steel 45 HRC	DIN 340	
110.0340	50 H	40 I	25 E	32 H	25 G	20 G	○			
Material Code:	Steel 55 HRC	Steel 60 HRC	Steel 65 HRC	Inox <900 N	Inox >900 N	Ti >800 N	GG(G)	Hardox inconel		
110.0340				8 E	8 E	10 E	16 H			110.0340

Ø Code	d1 h8	L1	l2			
110.0340.00470	4,70	126	82	10		
110.0340.00480	4,80	132	87	10		
110.0340.00490	4,90	132	87	10		
110.0340.00500	5,00	132	87	10		
110.0340.00510	5,10	132	87	10		
110.0340.00520	5,20	132	87	10		
110.0340.00530	5,30	132	87	10		
110.0340.00540	5,40	139	91	10		
110.0340.00550	5,50	139	91	10		
110.0340.00560	5,60	139	91	10		
110.0340.00570	5,70	139	91	10		
110.0340.00580	5,80	139	91	10		
110.0340.00590	5,90	139	91	10		
110.0340.00600	6,00	139	91	10		
110.0340.00610	6,10	148	97	10		
110.0340.00620	6,20	148	97	10		
110.0340.00630	6,30	148	97	10		
110.0340.00640	6,40	148	97	10		
110.0340.00650	6,50	148	97	10		
110.0340.00660	6,60	148	97	10		
110.0340.00670	6,70	148	97	10		
110.0340.00680	6,80	156	102	10		
110.0340.00690	6,90	156	102	10		
110.0340.00700	7,00	156	102	10		
110.0340.00710	7,10	156	102	10		
110.0340.00720	7,20	156	102	10		
110.0340.00730	7,30	156	102	10		




Lange Spiralbohrer mit Zylinderschaft
Forets cylindriques, série longue
Punte cilindrico, serie lunga
Straight shank twist drills, long series



Material Code:	ALU 99.5%	ALU <10% Si	ALU Guss	Steel <500 N	Steel <750 N	Steel <900 N	Steel <1100 N	Steel 45 HRC	DIN 340	
110.0340	50 H	40 I	25 E	32 H	25 G	20 G	○			
Material Code:	Steel 55 HRC	Steel 60 HRC	Steel 65 HRC	Inox <900 N	Inox >900 N	Ti >800 N	GG(G)	Hardox inconel		
110.0340				8 E	8 E	10 E	16 H			110.0340
Ø Code	d1 h8	L1	L2							
110.0340.00740	7,40	156	102	10						
110.0340.00750	7,50	156	102	10						
110.0340.00760	7,60	165	109	10						
110.0340.00770	7,70	165	109	10						
110.0340.00780	7,80	165	109	10						
110.0340.00790	7,90	165	109	10						
110.0340.00800	8,00	165	109	10						
110.0340.00810	8,10	165	109	5						
110.0340.00820	8,20	165	109	5						
110.0340.00830	8,30	165	109	5						
110.0340.00840	8,40	165	109	5						
110.0340.00850	8,50	165	109	5						
110.0340.00860	8,60	175	115	1						
110.0340.00870	8,70	175	115	1						
110.0340.00880	8,80	175	115	1						
110.0340.00890	8,90	175	115	1						
110.0340.00900	9,00	175	115	1						
110.0340.00910	9,10	175	115	1						
110.0340.00920	9,20	175	115	1						
110.0340.00930	9,30	175	115	1						
110.0340.00940	9,40	175	115	1						
110.0340.00950	9,50	175	115	1						
110.0340.00960	9,60	184	121	1						
110.0340.00970	9,70	184	121	1						
110.0340.00980	9,80	184	121	1						
110.0340.00990	9,90	184	121	1						
110.0340.01000	10,00	184	121	1						

Lange Spiralbohrer mit Zylinderschaft
Forets cylindriques, série longue
Punte cilindrico, serie lunga
Straight shank twist drills, long series

**HSS
Co5**

[illegible]